NSN 5930-00-139-1794



Rotary Switch - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5930-00-139-1794 **Thread Class:** 2b single mounting facility **Overall Length:** 5.565 inches **Overall Height:** 2.250 inches **Overall Width:** 2.250 inches **Shaft Diameter:** 0.249 inches single actuator and 0.251 inches single actuator **Shaft Length:** 0.938 inches single actuator **Individual Section Quantity:** 4 **Longest Horizontal Distance Between Mounting Centers:** 1.500 inches single mounting facility **Operating Tempurature Range:** -65.0 to 85.0 degrees celsius **Switch Contact Basic Design:** Nonpile-up symmetrical **Pole Quantity:** 1 each section rear **Throw Quantity:** 24 each section rear **Mounting Method:** Bracket single mounting facility and threaded hole single mounting facility Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 0.164 inches single mounting facility **Contact Voltage Rating In Volts:** 115.0 ac at sea level **Mounting Facility Pattern:** Two position in-line single mounting facility **Switch Actuator Indexing Position Quantity:** 24 single actuator **Shaft Type:** Round single actuator **Terminal Type:**

Turret

Contact Switching Action:

Breaks before makes each section rear

NSN 5930-00-139-1794

Rotary Switch - Page 2 of 2



Switch Actuator Positioning Increment:

15.0 degrees single actuator

Switch Actuator Stop Device Type:

Adjustable stop single actuator

Contact Load Current Rating:

2.0 amperes resistive load ac at sea level

Style Designator:

Tap, square frame

Thread Series Designator:

Unc single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0