NSN 5930-00-160-6205

Thermostatic Switch - Page 1 of 2



| Thermostatic Switch - Page 1 of 2 |
|---|
| View Online at https://aerobasegroup.com/nsn/5930-00-160-6205 |
| Overall Length: |
| 2.190 inches |
| Overall Height: |
| 1.050 inches |
| Body Diameter: |
| 1.230 inches |
| Mounting Slot Width: |
| 0.157 inches |
| Distance Between Mounting Facility Centers: |
| Between 1.438 inches and 1.810 inches |
| Tempurature Sensing Element Type: |
| Internal sensor |
| Mounting Method: |
| Bracket and slot |
| Features Provided: |
| Tamper proof cap |
| Contact Action Stimulus: |
| Increase |
| Mounting Facility Pattern: |
| Two position in-line |
| Nonpile-up Contact Arrangement: |
| 1 pole, single throw, normally closed, momentary action |
| Terminal Type: |
| Tab, solder lug |
| Contact Load Current Rating: |
| 10.0 amperes resistive load single voltage |
| Contact Adjustability: |
| Deactuation point not adjustable and actuation point not adjustable |
| Contact Stimulus Rating: |
| 50.00 actuation point degrees fahrenheit and 25.00 deactuation point degrees fahrenheit |
| Contact Voltage Rating In Volts: |
| 125.0 ac at sea level single voltage |
| Media For Which Designed: |
| Gas or liquid |
| Style Designator: |
| Disc w/flange |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| - |
| Demilitarization: |
| No |

NSN 5930-00-160-6205

Thermostatic Switch - Page 2 of 2

Fiig: A048b0

