NSN 5930-00-170-7146

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-170-7146

Overall Length:
1.217 inches
Overall Height:
0.500 inches
Body Diameter:
0.640 inches
Body Height:
0.364 inches
Distance Between Mounting Facility Centers:
0.930 inches
Tempurature Sensing Element Type:
Disc
Mounting Method:
Bracket
Features Provided:
Hermetically sealed case
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
6.0 amperes resistive load third voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
242.00 actuation point degrees fahrenheit and 258.00 actuation point degrees fahrenheit and 214.00 deactuation point degrees fahrenhei
and 226.00 deactuation point degrees fahrenheit and 30.00 differential point degrees fahrenheit
Contact Voltage Rating In Volts:
30.0 dc at sea level third voltage
Media For Which Designed:
Gas
Style Designator:
Disc w/flange
Test Data Document:
96906-mil-std-202 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

N/a

Shelf Life:

Unit Of Measure:

NSN 5930-00-170-7146

Thermostatic Switch - Page 2 of 2



Demilitarization:

No

Fiig:

A048b0