

View Online at <https://aerobasegroup.com/nsn/5930-00-174-5898>

Hazardous Locations/environmental Protection:

Watertight

Overall Height:

10.125 inches

Overall Width:

6.562 inches

Shaft Length:

0.750 inches single actuator

Unthreaded Mounting Hole Diameter:

0.531 inches single mounting facility

Individual Section Quantity:

1

Knob Manufacturer Code:

42337

Knob Manufacturer Part Number:

D1386

Longest Horizontal Distance Between Mounting Centers:

1.000 inches single mounting facility

Shortest Horizontal Distance Between Mounting Centers:

1.062 inches single mounting facility

Longest Vertical Distance Between Mounting Centers:

6.188 inches single mounting facility

Switch Contact Basic Design:

Nonpile-up symmetrical

Pole Quantity:

1 single section front

Throw Quantity:

1 single section front

Mounting Method:

Base single mounting facility

Features Provided:

Actuator knob and metallic inclosure

Contact Voltage Rating In Volts:

500.0 dc at sea level

Mounting Facility Pattern:

Isosceles triangle single mounting facility

Switch Actuator Indexing Position Quantity:

2 single actuator

Shaft Type:

Rectangular/square, threaded hole single actuator

Terminal Type:

Tab w/screw

Contact Switching Action:

Breaks before makes single section front

Switch Actuator Positioning Increment:

20.0 degrees single actuator

Contact Load Current Rating:

30.0 amperes resistive load dc at sea level

Test Data Document:

81349-mil-c-2212 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A052b0