

View Online at <https://aerobasegroup.com/nsn/5930-00-185-5141>

Thread Class:

2b all threaded hole

Hazardous Locations/environmental Protection:

Dusttight

Overall Length:

3.344 inches

Overall Height:

3.167 inches

Overall Width:

1.875 inches

Body Height:

2.656 inches

Distance Between Mounting Facility Centers:

1.000 inches

Capillary Tube Length:

74.500 inches

Bulb Length:

1.500 inches

Bulb Diameter:

0.375 inches

Temperature Sensing Element Type:

Capillary tube-bulb

Operating Temperature Rating:

85.0 degrees fahrenheit

Mounting Method:

Bracket and threaded hole

Thready Qty Per Inch (tpi):

32 all threaded hole

Contact Action Stimulus:

Increase

Thread Size:

0.190 inches all threaded hole

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

Terminal Type:

Tab w/screw

Contact Load Current Rating:

20.0 amperes resistive load single voltage

Contact Adjustability:

Deactuation point adjustable and actuation point adjustable

Contact Adjustment Range:

-10.00/+50.00 actuation point degrees fahrenheit and -10.00 to 50.00 deactuation point degrees fahrenheit

Contact Adjustment Type:

External deactuation point knob and external actuation point knob

Contact Voltage Rating In Volts:

240.0 ac at sea level single voltage

Frequency In Hertz:

60.0 single voltage

Media For Which Designed:

Gas

Style Designator:

Rectangular

Thread Series Designator:

Unf all threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A048b0