# NSN 5930-00-187-2602

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-187-2602

Overall	Length:

3.406 inches

**Overall Width:** 

1.906 inches

# **Body Height:**

4.000 inches

#### **Unthreaded Mounting Hole Diameter:**

0.187 inches

#### Capillary Tube Length:

76.0 inches

## Longest Horizontal Distance Between Mounting Centers:

#### 3.125 inches

Longest Vertical Distance Between Mounting Centers:

1.125 inches

### **Tempurature Sensing Element Type:**

Capillary tube

### **Operating Tempurature Rating:**

-10.0 degrees fahrenheit

# Mounting Method:

Bracket and unthreaded hole

## **Contact Action Stimulus:**

Decrease

### Mounting Facility Pattern:

Four position rectangular

### Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

### **Terminal Type:**

Screw

### **Contact Load Current Rating:**

4.6 amperes resistive load fourth voltage

### **Contact Adjustability:**

Deactuation point adjustable, preset and actuation point adjustable, preset

### **Contact Adjustment Range:**

+0.00/+55.00 actuation point degrees fahrenheit and +0.00 to 55.00 deactuation point degrees fahrenheit

### Contact Adjustment Type:

External deactuation point knob with scale and external actuation point knob with scale

## **Contact Stimulus Rating:**

15.00 actuation point degrees fahrenheit and 20.00 deactuation point degrees fahrenheit

## **Contact Voltage Rating In Volts:**

240.0 dc at sea level third voltage

#### Media For Which Designed:

Gas or liquid

# NSN 5930-00-187-2602

Thermostatic Switch - Page 2 of 2

Style Designator:

Rectangular

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A048b0

