NSN 5930-00-200-9325

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-200-9325

| Overall Length: |
|---|
| 1.578 inches |
| Overall Height: |
| 5.125 inches |
| Body Diameter: |
| 0.625 inches |
| Body Height: |
| 3.500 inches |
| Unthreaded Mounting Hole Diameter: |
| 0.221 inches |
| Tempurature Sensing Element Type: |
| Expanding shell |
| Mounting Facility Circle Radius: |
| 0.625 inches |
| Operating Tempurature Rating: |
| Between -65.0 degrees fahrenheit and 1000.0 degrees fahrenheit |
| Mounting Method: |
| Flange and unthreaded hole |
| Features Provided: |
| Hermetically sealed case and internally grounded |
| Contact Action Stimulus: |
| Increase |
| Mounting Facility Pattern: |
| Three position circular |
| Nonpile-up Contact Arrangement: |
| 1 pole, single throw, normally open, momentary action |
| Terminal Type: |
| Threaded stud |
| Contact Load Current Rating: |
| 3.0 amperes resistive load single voltage |
| Contact Adjustability: |
| Deactuation point adjustable, preset and actuation point adjustable, preset |
| Contact Adjustment Range: |
| +135.00/+1000.00 actuation point degrees fahrenheit and +135.00/+1000.00 deactuation point degrees fahrenheit |
| Contact Adjustment Type: |
| Internal deactuation point screw and internal actuation point screw |
| Contact Stimulus Rating: |
| 450.00 actuation point degrees fahrenheit and 430.00 deactuation point degrees fahrenheit |
| Contact Voltage Rating In Volts: |
| 28.0 dc at sea level single voltage |

Gas or liquid

Media For Which Designed:

NSN 5930-00-200-9325

Thermostatic Switch - Page 2 of 2



| ~ · | | | | | |
|------------|------------|-----|------|-----|-----|
| Styl | ם ו | 126 | เตท | ato | ŀ۲۰ |
| Oty: | | - | ıyı, | ato | |

Disc w/flange

Test Data Document:

81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Data:

81349-mil-s-24236/15 government specification

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

Yes - demil/mli

Fiig:

A048b0