# NSN 5930-00-201-2562

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-201-2562

# **Thread Class:**

2a single mounting facility

## Thread Length:

0.375 inches single mounting facility

## **Overall Length:**

2.624 inches

#### Shaft Diameter:

0.250 inches single actuator

#### Shaft Length:

0.875 inches single actuator

#### **Overall Diameter:**

1.937 inches

Individual Section Quantity:

2

#### Switch Contact Basic Design:

## Nonpile-up symmetrical

**Pole Quantity:** 

4 1st section rear

#### **Throw Quantity:**

2 2nd section rear

## Mounting Method:

Threaded bushing single mounting facility

#### **Thread Size:**

0.375 inches single mounting facility

#### **Contact Voltage Rating In Volts:**

28.0 dc at sea level

#### Switch Actuator Indexing Position Quantity:

2 single actuator

#### Shaft Type:

Round single actuator

#### **Terminal Type:**

Tab, solder lug

#### **Contact Switching Action:**

Breaks before makes each section rear

#### **Switch Actuator Positioning Increment:**

30.0 degrees single actuator

# Switch Actuator Stop Device Type:

Fixed stop single actuator

## **Contact Load Current Rating:**

500.0 milliamperes resistive load ac at sea level

# **Precious Material And Location:**

Contacts and rotor blade surfaces silver

# NSN 5930-00-201-2562

Rotary Switch - Page 2 of 2

Precious Material:

Silver

Style Designator:

Circular wafer, bushing mount

Thread Series Designator:

Unef single mounting facility

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A052b0

