NSN 5930-00-226-3502

Liquid Level Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-226-3502

Overall Length: 2.609 inches **Power Cable Length:** 24.000 inches **Overall Height:** 3.797 inches **Overall Width:** 1.380 inches Dc Voltage Rating: 28.0 volts **Actuation Method:** Buoyancy **Electrical Connection Type:** Cable **Internal Battery Accommodation:** Not included **Current Rating At Maximum Rated Voltage:** 1.0 amperes resistive load Float Quantity: **Operating Tempurature Rating:** Between -65.0 degrees fahrenheit and 160.0 degrees fahrenheit **Mounting Method:** Thread **Mounting Position:** Vertical **Contact Arrangement:** Spst, normally open Relay: Not included **Liquid Type For Which Designed:** Aircraft fuel Aircraft Fuel For Which Designed: Specific **Aircraft Fuel Grade Specificationification:** Mil-g-5572, mil-j-5624, mil-g-3056 Aircraft Fuel Grade: Jp-5, jp-3, jp-4

Aircraft Fuel Grade Specificationific Gravity Rating:

Not rated

Float Effective Travel:

Between 0.140 inches and 0.350 inches

NSN 5930-00-226-3502

Liquid Level Switch - Page 2 of 2



Mounting Dimensions:

Mtg by 1/2-20 unf thd connection

Tank Insertion Length:

3.360 inches

Fsc Application Data:

Switch, float, liquid level, except engine

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T109-d

Mil-std (military Standard):

Mil-g-5572 spec.