NSN 5930-00-233-6365

Thermostatic Switch - Page 1 of 2



v Online at https://aerob

View Online at https://aerobasegroup.com/nsn/5930-00-233-6365	
Hazardous Locations/environmental Protection:	
Weatherproof	
Overall Length:	
1.220 inches	
Overall Height:	
0.395 inches	
Body Diameter:	
0.426 inches	
Mounting Slot Width:	
0.140 inches	
Body Height:	
0.298 inches	
Unthreaded Mounting Hole Diameter:	
0.140 inches	
Distance Between Mounting Facility Centers:	
0.937 inches	
Tempurature Sensing Element Type:	
Internal sensor	
Operating Tempurature Rating:	
85.0 degrees celsius and -62.0 degrees celsius	
Mounting Method:	
Bracket and unthreaded hole and slot	
Features Provided:	
Hermetically sealed case	
Contact Action Stimulus:	
Increase	
Mounting Facility Pattern:	
Two position in-line	
Nonpile-up Contact Arrangement:	
1 pole, single throw, normally closed, momentary action	
Terminal Type:	

Tab, solder lug

Contact Load Current Rating:

3.0 amperes resistive load second voltage

Contact Adjustability:

Deactuation point not adjustable and actuation point not adjustable

Contact Stimulus Rating:

135.00 actuation point degrees fahrenheit and 129.00 deactuation point degrees fahrenheit

Contact Voltage Rating In Volts:

30.0 dc at sea level second voltage

Frequency In Hertz:

60.0 first voltage

NSN 5930-00-233-6365 Thermostatic Switch - Page 2 of 2



Media For Which Designed:
Gas or liquid
Style Designator:
Disc w/flange
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A048b0