

View Online at <https://aerobasegroup.com/nsn/5930-00-235-5674>

**Hazardous Locations/environmental Protection:**

Moisture proof

**Overall Length:**

3.375 inches

**Overall Height:**

5.875 inches

**Overall Width:**

3.125 inches

**Capillary Tube Length:**

84.0 inches

**Bulb Length:**

10.000 inches

**Bulb Diameter:**

0.188 inches

**End Application:**

Heater-turb rotor 77445

**Temperature Sensing Element Type:**

Capillary tube-bulb

**Mounting Method:**

Base

**Features Provided:**

Pilot light

**Contact Action Stimulus:**

Increase

**Nonpile-up Contact Arrangement:**

2 pole, single throw, normally open, momentary action

**Terminal Type:**

Screw

**Contact Load Current Rating:**

35.0 amperes resistive load second voltage

**Contact Adjustability:**

Deactuation point adjustable and actuation point adjustable

**Contact Adjustment Range:**

+150.00/+550.00 actuation point degrees fahrenheit and +150.00/+550.00 deactuation point degrees fahrenheit

**Contact Adjustment Type:**

External deactuation point knob with scale and external actuation point knob with scale

**Contact Voltage Rating In Volts:**

277.0 ac at sea level first voltage

**Frequency In Hertz:**

60.0 second voltage

**Media For Which Designed:**

Gas or liquid

**Style Designator:**

Rectangular

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0