## NSN 5930-00-237-2635

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-237-2635

view Online at https://defobasegroup.com/hsh/5550-00-257-2005
Overall Length:
1.250 inches
Overall Height:
0.688 inches
Body Diameter:
0.750 inches
Body Height:
0.500 inches
Distance Between Mounting Facility Centers:
Between 0.930 inches and 0.944 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 185.0 degrees fahrenheit
Mounting Method:
Bracket
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
1.0 amperes resistive load first voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
190.00 actuation point degrees fahrenheit and 210.00 actuation point degrees fahrenheit and 90.00 deactuation point degrees fahrenheit
and 110.00 deactuation point degrees fahrenheit and 100.00 differential point degrees fahrenheit
Contact Voltage Rating In Volts:
30.0 dc at sea level second voltage
Frequency In Hertz:
60.0 single voltage
Media For Which Designed:
Gas
Style Designator:
Disc w/flange
Test Data Document:
18876-10112577 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing,

etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

N/a

Shelf Life:

## NSN 5930-00-237-2635

Thermostatic Switch - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A048b0