NSN 5930-00-237-5334

Code Indicating Wheel Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-237-5334

Hazardous Locations/environmental Protection	:
--	---

Dustproof

Overall Length:

1.260 inches

Overall Height:

2.260 inches

Overall Width:

1.150 inches

Unthreaded Mounting Hole Diameter:

0.100 inches single mounting facility

Individual Section Quantity:

3

Longest Horizontal Distance Between Mounting Centers:

1.090 inches single mounting facility

Longest Vertical Distance Between Mounting Centers:

0.900 inches single mounting facility

Mounting Method:

Unthreaded hole single mounting facility

Actuator Type:

Thumbwheel all actuators

Contact Voltage Rating In Volts:

28.0 dc at sea level

Mounting Facility Pattern:

Four position rectangular single mounting facility

Switch Actuator Indexing Position Quantity:

4 1st actuator

Terminal Type:

Printed circuit

Contact Switching Action:

Breaks before makes each section in-line

Contact Load Current Rating:

125.0 milliamperes resistive load dc at sea level

Readout Indicator Marking:

0, 2, 4, 6, 8, 0, 2, 4, 6, 8 3rd section

Contact Arrangement Truth Table:

Bcd, 1 pole - 10 positions 2nd section

Special Truth Table Identification:

10001-special 0-2-4-6-8-0-2-4-6-8 3rd section

Color:

White each indicator marking

Style Designator:

Rectangular inline indicating

NSN 5930-00-237-5334

Code Indicating Wheel Switch - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0