## NSN 5930-00-239-0164

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-239-0164

Thread Class:
2a single mounting facility
Thread Length:
0.375 inches single mounting facility
Overall Length:
2.499 inches
Overall Height:
1.047 inches
Overall Width:
0.829 inches
Shaft Diameter:
0.250 inches single actuator
Shaft Length:
1.125 inches single actuator
Overall Diameter:
1.000 inches
Nonturn Device Radius:
0.375 inches at 3: 00 o'clock
Individual Section Quantity:
2
Nonturn Device Type:
Tab at 3: 00 o'clock
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
2 each section rear
Throw Quantity:
8 each section front
Mounting Method:
Threaded bushing single mounting facility
Thread Size:
0.375 inches single mounting facility
Contact Voltage Rating In Volts:
30.0 dc at sea level
Rotor Through Connection Quantity:
1 each section
Switch Actuator Indexing Position Quantity:
8 single actuator
Shaft Type:
Round single actuator
Terminal Type:
Tab, solder lug

## NSN 5930-00-239-0164

Rotary Switch - Page 2 of 2



C	nta	ct	Sw	itcl	ning	ιΔc	tion	١,
v	JIILO	ıυι	JW	ILLI	HILL	H	เเบเ	١.

Breaks before makes each section front

**Switch Actuator Positioning Increment:** 

30.0 degrees single actuator

**Contact Load Current Rating:** 

50.0 milliamperes resistive load ac at sea level

Style Designator:

Circular wafer, bushing mount

**Thread Series Designator:** 

Unef single mounting facility

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A052b0