# NSN 5930-00-241-2337

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-241-2337

·····
Overall Length:
5.375 inches
Overall Height:
2.500 inches
Overall Width:
2.312 inches
Body Length:
5.375 inches
Unthreaded Mounting Hole Diameter:
0.190 inches
Capillary Tube Length:
66.0 inches
Longest Horizontal Distance Between Mounting Centers:
1.500 inches
Longest Vertical Distance Between Mounting Centers:
4.188 inches
Tempurature Sensing Element Type:
Capillary tube
Operating Tempurature Rating:
Between -273.1 degrees celsius and 250.0 degrees fahrenheit
Mounting Method:
Base and unthreaded hole
Features Provided:
Electrical access port
Mounting Facility Pattern:
Four position rectangular
Nonpile-up Contact Arrangement:
1 pole, double throw, one position momentary
Terminal Type:
Screw
Contact Load Current Rating:
25.0 amperes resistive load second voltage
Contact Adjustability:
Deactuation point adjustable and actuation point adjustable
Contact Adjustment Range:
+60.00/+200.00 actuation point degrees fahrenheit and +60.00/+200.00 deactuation point degrees fahrenheit
Contact Adjustment Type:
External deactuation point dial and external actuation point dial
Contact Voltage Rating In Volts:
240.0 ac at sea level first voltage
Special Features:

Provided w/o.750 in. Npt well

# NSN 5930-00-241-2337

Thermostatic Switch - Page 2 of 2



#### Media For Which Designed:

Gas or liquid

#### Style Designator:

Rectangular

Shelf Life:

N/a

### Unit Of Measure:

---

### Demilitarization:

No

Fiig:

A048b0