

View Online at <https://aerobasegroup.com/nsn/5930-00-244-7506>

**Hazardous Locations/environmental Protection:**

Dustproof

**Overall Length:**

1.750 inches

**Overall Height:**

1.093 inches

**Overall Width:**

1.620 inches

**Body Diameter:**

1.500 inches

**Unthreaded Mounting Hole Diameter:**

0.128 inches

**Distance Between Mounting Facility Centers:**

1.230 inches

**Pressure Switch Type:**

Gage

**Operating Temperature Rating:**

Between -65.0 degrees celsius and 85.0 degrees celsius

**Mounting Method:**

Bracket and unthreaded hole

**Contact Action Stimulus:**

Increase

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally closed, momentary action

**Terminal Type:**

Solder stud

**Contact Load Current Rating:**

5.0 amperes resistive load second voltage and 3.0 amperes inductive load second voltage

**Contact Adjustability:**

Deactuation point not adjustable and actuation point not adjustable

**Contact Stimulus Rating:**

3.42 actuation point inches of mercury and 2.12 deactuation point inches of mercury and 1.30 differential point inches of mercury

**Contact Voltage Rating In Volts:**

28.0 dc at sea level second voltage

**Media For Which Designed:**

Gas

**Style Designator:**

Cylindrical w/lugs

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0