## NSN 5930-00-252-1592

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-252-1592

Hazardous Locations/environmental Protection:
Dustproof
Overall Length:
1.217 inches
Overall Height:
0.500 inches
Body Diameter:
0.640 inches
Body Height:
0.364 inches
Unthreaded Mounting Hole Diameter:
0.140 inches
Distance Between Mounting Facility Centers:
0.937 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 450.0 degrees fahrenheit
Mounting Method:
Bracket and unthreaded hole
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
6.0 amperes resistive load third voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
49.00 actuation point degrees fahrenheit and 39.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
30.0 dc at sea level third voltage
Frequency In Hertz:
60.0 second voltage
Media For Which Designed:
Gas
Unpackaged Unit Weight:

5.910 grams

## NSN 5930-00-252-1592

Thermostatic Switch - Page 2 of 2



Style Designator:
Disc w/flange
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0