

View Online at <https://aerobasegroup.com/nsn/5930-00-256-0699>

**Overall Length:**

0.875 inches

**Overall Height:**

Between 0.261 inches and 0.301 inches

**Body Diameter:**

0.560 inches

**Body Height:**

Between 0.172 inches and 0.202 inches

**Unthreaded Mounting Hole Diameter:**

0.147 inches

**Distance Between Mounting Facility Centers:**

Between 0.422 inches and 0.452 inches

**Tempurature Sensing Element Type:**

Internal sensor

**Operating Tempurature Rating:**

Between -65.0 degrees fahrenheit and 300.0 degrees fahrenheit

**Mounting Method:**

Bracket and unthreaded hole

**Contact Action Stimulus:**

Increase

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally closed, momentary action

**Terminal Type:**

Tab, solder lug

**Contact Load Current Rating:**

3.0 amperes resistive load second voltage

**Contact Adjustability:**

Deactuation point not adjustable and actuation point not adjustable

**Contact Stimulus Rating:**

167.00 actuation point degrees fahrenheit and 171.00 actuation point degrees fahrenheit and 2.00 differential point degrees fahrenheit and 6.00 differential point degrees fahrenheit

**Contact Voltage Rating In Volts:**

28.0 dc at sea level second voltage

**Frequency In Hertz:**

60.0 first voltage

**Media For Which Designed:**

Gas or liquid

**Style Designator:**

Disc w/flange

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0