NSN 5930-00-259-3365

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-259-3365

Overall Length:
6.969 inches
Overall Height:
2.813 inches
Overall Width:
5.000 inches
Capillary Tube Length:
120.000 inches
Bulb Length:
3.000 inches
Bulb Diameter:
0.500 inches
End Application:
Forrestal class cv; landing craft, utility, 115 ft; nimitz class cvn; wasp class lhd; tarawa class lha; whidbey island class lsd; submarine
auxillary and miscellanous systems; I.P. Compressors; iwo jima class lph; virginia class cgn (41)
Tempurature Sensing Element Type:
Capillary tube-bulb
Operating Tempurature Rating:
Between -273.1 degrees celsius and 300.0 degrees fahrenheit
Mounting Method:
Base
Contact Action Stimulus:
Increase
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Criticality Code Justification:
Feat
Terminal Type:
Tab w/screw
Contact Load Current Rating:
4.0 amperes resistive load first voltage
Contact Adjustability:
Actuation point adjustable
Contact Adjustment Range:
+100.00/+225.00 actuation point degrees fahrenheit
Contact Adjustment Type:
External actuation point screw
Contact Voltage Rating In Volts:
115.0 dc at sea level second voltage

Media For Which Designed:

Liquid

Special Features:

Weapon system essential

NSN 5930-00-259-3365

Thermostatic Switch - Page 2 of 2



Style	Designator:
-------	-------------

Rectangular

Test Data Document:

81349-mils16032 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

C	ho	If	ı	ife:	
	ne	111		116	

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0