

View Online at <https://aerobasegroup.com/nsn/5930-00-259-8676>

**Hazardous Locations/environmental Protection:**

Explosion proof

**Overall Length:**

15.750 inches

**Overall Height:**

5.250 inches

**Overall Width:**

5.250 inches

**Body Diameter:**

0.750 inches

**Body Length:**

10.000 inches

**Temperature Sensing Element Type:**

Bulb

**Operating Temperature Rating:**

1000.0 degrees fahrenheit

**Mounting Method:**

Immersion well

**Contact Action Stimulus:**

Increase

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally open, momentary action

**Terminal Type:**

Screw

**Contact Load Current Rating:**

4.0 amperes resistive load first voltage

**Contact Adjustability:**

Deactuation point adjustable and actuation point adjustable

**Contact Adjustment Range:**

+675.00/+925.00 actuation point degrees fahrenheit and +675.00/+925.00 deactuation point degrees fahrenheit

**Contact Adjustment Type:**

Internal deactuation point screw and internal actuation point screw

**Contact Voltage Rating In Volts:**

115.0 dc at sea level second voltage

**Frequency In Hertz:**

60.0 first voltage

**Media For Which Designed:**

Gas or liquid

**Style Designator:**

Rectangular

**Test Data Document:**

81349-mil-s-16032 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0