NSN 5930-00-259-8676

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-259-8676

Hazardous Locations/environmental Protection:
Explosion proof
Overall Length:
15.750 inches
Overall Height:
5.250 inches
Overall Width:
5.250 inches
Body Diameter:
0.750 inches
Body Length:
10.000 inches
Tempurature Sensing Element Type:
Bulb
Operating Tempurature Rating:
1000.0 degrees fahrenheit
Mounting Method:
Immersion well
Contact Action Stimulus:
Increase
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Screw
Contact Load Current Rating:
4.0 amperes resistive load first voltage
Contact Adjustability:
Deactuation point adjustable and actuation point adjustable
Contact Adjustment Range:
+675.00/+925.00 actuation point degrees fahrenheit and +675.00/+925.00 deactuation point degrees fahrenheit
Contact Adjustment Type:
Internal deactuation point screw and internal actuation point screw
Contact Voltage Rating In Volts:
115.0 dc at sea level second voltage
Frequency In Hertz:
60.0 first voltage
Media For Which Designed:
Gas or liquid
Style Designator:
Rectangular
Test Data Decument:

81349-mil-s-16032 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

NSN 5930-00-259-8676

Thermostatic Switch - Page 2 of 2



_				-		
C	h	Δ	Iŧ.		ife:	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0