NSN 5930-00-259-8927

Thermostatic Switch - Page 1 of 2



Thermostatic Switch - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5930-00-259-8927
Hazardous Locations/environmental Protection:
Vibration resistant
Overall Length:
4.188 inches
Body Diameter:
Between 0.618 inches and 0.625 inches
Body Length:
3.562 inches
Overall Diameter:
1.250 inches
Unthreaded Mounting Hole Diameter:
0.221 inches
Tempurature Sensing Element Type:
Expanding shell
Mounting Facility Circle Radius:
0.625 inches
Operating Tempurature Rating:
Between -273.1 degrees celsius and 1500.0 degrees fahrenheit
Mounting Method:
Flange and unthreaded hole
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Three position circular
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Screw
Contact Load Current Rating:
5.0 amperes resistive load first voltage
Contact Adjustability:
Actuation point adjustable, preset
Contact Adjustment Range:
-100.00/+300.00 actuation point degrees fahrenheit
Contact Adjustment Type:
External actuation point screw
Contact Stimulus Rating:
200.00 actuation point degrees fahrenheit
Contact Voltage Rating In Volts:
28.0 dc at sea level second voltage
Media For Which Designed:

Gas or liquid

NSN 5930-00-259-8927

Thermostatic Switch - Page 2 of 2

Style Designator:

Cylindrical w/flange

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A048b0

