NSN 5930-00-260-5059

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-260-5059 **Overall Height:** 0.781 inches **Unthreaded Mounting Hole Diameter:** 0.154 inches **Tempurature Sensing Element Type:** Internal sensor **Mounting Facility Circle Radius:** 1.064 inches **Operating Tempurature Rating:** 530.0 degrees fahrenheit **Mounting Method:** Flange and unthreaded hole **Features Provided:** Tamper proof cap **Contact Action Stimulus:** Increase **Mounting Facility Pattern:** Four position circular **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally closed, momentary action **Terminal Type:** Tab w/screw **Contact Load Current Rating:** 8.0 amperes resistive load first voltage **Contact Adjustability:** Deactuation point not adjustable and actuation point not adjustable **Contact Stimulus Rating:** 53.00 actuation point degrees celsius and 57.00 actuation point degrees celsius and 40.00 deactuation point degrees celsius and 45.00 deactuation point degrees celsius and 13.00 differential point degrees celsius **Contact Voltage Rating In Volts:** 30.0 dc at sea level third voltage **Special Features:** One 0.5 uf capacitor in series w/one 1 ohm resistor must be used across contacts for dc operation, non-magnetic s.S. Case Media For Which Designed: Gas or liquid **Style Designator:** Disc w/flange Shelf Life: N/a

No

Unit Of Measure:

Demilitarization:

NSN 5930-00-260-5059 Thermostatic Switch - Page 2 of 2



Fiig:

A048b0