## NSN 5930-00-274-1308

Rotary Switch - Page 1 of 2



30-00-274-1308

View Online at https://aerobasegroup.com/nsn/5930
Thread Class:
2a single mounting facility
Hazardous Locations/environmental Protection:
Explosion proof
Overall Length:
4.532 inches
Overall Height:
4.125 inches
Overall Width:
4.125 inches
Individual Section Quantity:
4
Knob Manufacturer Code:
82121
Operating Tempurature Range:
-62.0/+75.0 degrees celsius
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
1 each section front
Throw Quantity:
2 each section front
Mounting Facility Circle Radius:
1.609 inches single mounting facility
Mounting Method:
Threaded bushing single mounting facility
Features Provided:
Actuator knob
Thready Qty Per Inch (tpi):
20 single mounting facility
Thread Size:
0.250 inches single mounting facility
Contact Voltage Rating In Volts:
600.0 ac at sea level
Mounting Facility Pattern:
Four position circular single mounting facility
Switch Actuator Indexing Position Quantity:
3 single actuator
Terminal Type:
Tab w/screw
Contact Switching Action:

Breaks before makes each section front

## NSN 5930-00-274-1308

Rotary Switch - Page 2 of 2



## **Switch Actuator Positioning Increment:**

90.0 degrees single actuator

**Switch Actuator Stop Device Type:** 

Fixed stop single actuator

**Contact Load Current Rating:** 

40.0 amperes resistive load ac at sea level

Style Designator:

Tap, circuit selector

**Thread Series Designator:** 

Unc single mounting facility

Shelf Life:

N/a

**Unit Of Measure:** 

--

**Demilitarization:** 

No

Fiig:

A052b0