NSN 5930-00-296-5232

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-296-5232

Thread	Length:
--------	---------

0.250 inches single mounting facility

Overall Length:

1.812 inches

Overall Height:

1.593 inches

First Flat Length:

0.500 inches single actuator

Flat Height:

0.218 inches single actuator

Shaft Diameter:

0.250 inches single actuator

Shaft Length:

1.000 inches single actuator

Overall Diameter:

1.406 inches

Individual Section Quantity:

inai 1

Nonturn Device Type:

Flatted bushing at 10: 30 o'clock

Longest Horizontal Distance Between Mounting Centers:

1.250 inches single mounting facility

Switch Contact Basic Design:

Nonpile-up symmetrical

Pole Quantity:

1 single section rear

Throw Quantity:

6 single section rear

Mounting Method:

Threaded bushing single mounting facility

Features Provided:

Actuator knob

Thread Size:

0.375 inches single mounting facility

Shaft Flat/slot Angular Location:

150.0 degrees from nonturn device single actuator

Mounting Facility Pattern:

Two position in-line single mounting facility

Switch Actuator Indexing Position Quantity:

6 single actuator

Shaft Type:

Round, flatted single actuator

NSN 5930-00-296-5232

Rotary Switch - Page 2 of 2



Terminal Type:
Tab, solder lug
Switch Actuator Positioning Increment:
30.0 degrees single actuator
Special Features:
4 dummy terminals located at positions 8, 9, 10, 11
Style Designator:
Circular wafer, bushing mount
Thread Series Designator:
Unef single mounting facility
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A052b0