NSN 5930-00-314-6672

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-314-6672

Inside Diameter:
0.250 inches single connection
Hazardous Locations/environmental Protection:
Dust resistant and moisture resistant
Overall Length:
3.500 inches
Overall Height:
7.000 inches
Overall Width:
2.500 inches
Body Height:
3.500 inches
Unthreaded Mounting Hole Diameter:
0.266 inches
Longest Horizontal Distance Between Mounting Centers:
2.719 inches
Longest Vertical Distance Between Mounting Centers:
2.719 inches
Pressure Switch Type:
Gage
Mounting Method:
Unthreaded hole
Features Provided:
Electrical access port
Contact Action Stimulus:
Increase
Proof Pressure:
750.00 pounds per square inch
Thread Size:
0.250 inches single pressure connection
Mounting Facility Pattern:
Two position diagonal
Nonpile-up Contact Arrangement:
1 two circuit, double break/double make, one position momentary
Terminal Type:
Screw
Contact Load Current Rating:
6.0 amperes resistive load first voltage
Contact Adjustability:
Actuation point adjustable

Contact Adjustment Range:

+0.00/+300.00 actuation point pounds per square inch

NSN 5930-00-314-6672

Pressure Switch - Page 2 of 2



Contact Adjustment Type:
External actuation point screw
Contact Voltage Rating In Volts:
600.0 ac at sea level fourth voltage
Pressure Connector Type:
Plain, threaded internal single connection
Media For Which Designed:
Gas or liquid
Style Designator:
Rectangular
Thread Series Designator:
Nptf single pressure connection
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A048b0