NSN 5930-00-324-0762

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-324-0762

Overall Length:
Between 1.240 inches and 1.260 inches
Overall Height:
0.526 inches
Body Diameter:
0.605 inches
Body Height:
0.390 inches
Distance Between Mounting Facility Centers:
0.937 inches
Tempurature Sensing Element Type:
Internal sensor
Mounting Method:
Bracket
Features Provided:
Hermetically sealed case
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
1.0 amperes resistive load first voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
195.00 actuation point degrees fahrenheit and 180.00 deactuation point degrees fahrenheit
Contact Voltage Rating In Volts:
30.0 dc at sea level third voltage
Special Features:
Incl evacuation tube
Incl evacuation tube Frequency In Hertz:
Frequency In Hertz:
Frequency In Hertz: 60.0 single voltage
Frequency In Hertz: 60.0 single voltage Media For Which Designed:
Frequency In Hertz: 60.0 single voltage Media For Which Designed: Gas

Test Data Document:

81349-mil-s-24236 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

NSN 5930-00-324-0762

Thermostatic Switch - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0