

View Online at <https://aerobasegroup.com/nsn/5930-00-329-6316>

**Hazardous Locations/environmental Protection:**

Vibration resistant

**Overall Length:**

2.812 inches

**Overall Height:**

1.500 inches

**Overall Width:**

0.656 inches

**Mounting Slot Width:**

0.156 inches

**Body Length:**

2.156 inches

**Body Width:**

0.656 inches

**Body Height:**

0.515 inches

**Distance Between Mounting Facility Centers:**

2.438 inches

**Temperature Sensing Element Type:**

Internal sensor

**Mounting Method:**

Clamp and slot

**Contact Action Stimulus:**

Increase

**Mounting Facility Pattern:**

Two position in-line

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally closed, momentary action

**Terminal Type:**

Threaded stud

**Contact Load Current Rating:**

10.0 amperes resistive load first voltage5.0 amperes resistive load second voltage

**Contact Adjustability:**

Actuation point adjustable, preset

**Contact Adjustment Range:**

+50.00/+600.00 actuation point degrees fahrenheit

**Contact Adjustment Type:**

External actuation point screw

**Contact Stimulus Rating:**

5.00 differential point degrees fahrenheit

**Contact Voltage Rating In Volts:**

120.0 ac at sea level first voltage240.0 ac at sea level second voltage

**Media For Which Designed:**

Gas

**Style Designator:**

Rectangular w/bracket

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A048b0