NSN 5930-00-329-6316

Hazardous Locations/environmental Protection:

Vibration resistant
Overall Length:
2.812 inches
Overall Height:
1.500 inches
Overall Width:
0.656 inches

Mounting Slot Width:

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-329-6316

0.156 inches
Body Length:
2.156 inches
Body Width:
0.656 inches
Body Height:
0.515 inches
Distance Between Mounting Facility Centers:
2.438 inches
Tempurature Sensing Element Type:
Internal sensor
Mounting Method:
Clamp and slot
Contact Action Stimulus:
Increase
Mounting Facility Pattern:
Two position in-line
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Threaded stud
Contact Load Current Rating:
10.0 amperes resistive load first voltage5.0 amperes resistive load second voltage
Contact Adjustability:
Actuation point adjustable, preset
Contact Adjustment Range:
+50.00/+600.00 actuation point degrees fahrenheit
Contact Adjustment Type:
External actuation point screw
Contact Stimulus Rating:
5.00 differential point degrees fahrenheit
Contact Voltage Rating In Volts:
120.0 ac at sea level first voltage240.0 ac at sea level second voltage

NSN 5930-00-329-6316

Thermostatic Switch - Page 2 of 2



Media For Which Designed:
Gas
Style Designator:
Rectangular w/bracket
Shalf Life:

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0