NSN 5930-00-350-1018

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-350-1018

Thread Length:

0.312 inches single mounting facility

Overall Length:

1.781 inches

Shaft Diameter:

0.248 inches single actuator

Shaft Length:

0.281 inches single actuator

Overall Diameter:

1.000 inches

Individual Section Quantity:

2

Operating Tempurature Range:

-65.0/+85.0 degrees celsius

Switch Contact Basic Design:

Nonpile-up symmetrical

Mounting Method:

Threaded bushing single mounting facility

Thread Size:

0.375 inches single mounting facility

Contact Voltage Rating In Volts:

28.0 dc at sea level

Switch Actuator Indexing Position Quantity:

8 single actuator

Shaft Type:

Round single actuator

Terminal Type:

Tab, solder lug

Contact Switching Action:

Breaks before makes each section rear

Switch Actuator Positioning Increment:

30.0 degrees single actuator

Contact Load Current Rating:

200.0 milliamperes resistive load dc at sea level

Style Designator:

Circular wafer, bushing mount

Test Data Document:

81349-mil-s-3786 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unef single mounting facility

Shelf Life:

N/a

NSN 5930-00-350-1018 Rotary Switch - Page 2 of 2



			ıre:

Demilitarization:

No

Fiig:

A052b0