# NSN 5930-00-372-1158

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-372-1158

# **Thread Class:**

2a single mounting facility

#### Thread Length:

0.375 inches single mounting facility

## **Overall Length:**

2.835 inches

#### **Overall Height:**

1.312 inches

#### **Overall Width:**

1.219 inches

#### Shaft Diameter:

0.250 inches single actuator

#### Shaft Length:

1.875 inches single actuator

#### Individual Section Quantity:

1

# Nonturn Device Type:

Flatted bushing at 12: 00 o'clock

# Switch Contact Basic Design:

Nonpile-up symmetrical

#### Pole Quantity:

2 single section front

#### Throw Quantity:

3 single section rear

#### **Mounting Method:**

Threaded bushing single mounting facility

#### **Thread Size:**

0.375 inches single mounting facility

# **Contact Voltage Rating In Volts:**

28.0 dc at sea level

#### **Rotor Through Connection Quantity:**

2 single section

#### Switch Actuator Indexing Position Quantity:

3 single actuator

# Shaft Type:

Round single actuator

#### **Terminal Type:**

Tab, solder lug

# **Contact Switching Action:**

Breaks before makes single section rear

# Switch Actuator Positioning Increment:

22.5 degrees single actuator

# NSN 5930-00-372-1158

Rotary Switch - Page 2 of 2



Switch Actuator Stop Device Type: Fixed stop single actuator Contact Load Current Rating: 1.5 amperes resistive load dc at sea level Precious Material And Location: Clips and rotorcontact surfaces silver Precious Material: Silver Style Designator: Semi-circular wafer, bushing mount Thread Series Designator: Unef single mounting facility Shelf Life: N/a Unit Of Measure:

---

Demilitarization:

No

Fiig:

A052b0