## NSN 5930-00-372-2211

Push Switch - Page 1 of 2



| View Online at https://aerobasegroup.com/nsn/5930-00-372-2211  |
|--|
| Body Style:  |
| Panel mounted  |
| Overall Length:  |
| 2.720 inches   |
| Overall Height:  |
| 0.800 inches   |
| Overall Width:   |
| 0.800 inches   |
| Body Width:  |
| 0.800 inches   |
| Body Height:   |
| 0.800 inches   |
| Actuator Length:   |
| 0.684 inches   |
| Actuator Style:  |
| Rectangular  |
| Actuator Height:   |
| 0.070 inches   |
| Actuator Width:  |
| 0.684 inches   |
| Actuator Color:  |
| Yellow single actuator   |
| Illuminated Actuator Color:  |
| Yellow single actuator   |
| Maximum Voltage Rating In Volts:   |
| 115.0 ac and 28.0 dc   |
| Mounting Surface To Terminal End Distance:   |
| 2.650 inches   |
| Inclosure Type:  |
| Fully enclosed   |
| Mounting Method:   |
| Clip   |
| Nonpile-up Contact Arrangement:  |
| 2 pole, double throw, both positions maintained single switch unit   |
| Contact Load Current Rating At Maximum Rated Voltage:  |
| 2.000 amperes resistive dc and 1.000 amperes inductive dc and 750.000 amperes lamp dc and 2.000 amperes resistive ac and 1.000               |
| amperes inductive ac and 750.000 milliamperes lamp ac  |
| Test Data Document:  |
| 81349-mil-s-22885 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification |

format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Terminal Type And Quantity:**

11 tab, solder lug

## **Specification Data:**

813/10-mil-c-22885/56 government enecification

## NSN 5930-00-372-2211

Push Switch - Page 2 of 2



| _ |   |            |   |    |    |
|---|---|------------|---|----|----|
| • | n | <b>0</b> 1 | • | 12 | e: |
|   |   |            |   |    |    |

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A053a0