## NSN 5930-00-374-9927

Pressure Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-374-9927

View Online at https://aerobasegroup.com/nsn/5930-00-374-9927
Thread Length:
0.438 inches single pressure connection
Overall Length:
2.469 inches
Outside Diameter:
0.125 inches single connection
Body Length:
1.844 inches
Overall Diameter:
1.094 inches
Pressure Switch Type:
Absolute
Mounting Method:
Input port
Features Provided:
Hermetically sealed case
Thready Qty Per Inch (tpi):
27 single pressure connection
Contact Action Stimulus:
Decrease
Proof Pressure:
125.00 pounds per square inch
Thread Size:
0.125 inches single pressure connection
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
5.0 amperes resistive load second voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point not adjustable
Contact Stimulus Rating:
30.00 actuation point pounds per square inch absolute and 32.00 deactuation point pounds per square inch absolute and 2.00 differentia
point pounds per square inch absolute
Contact Voltage Rating In Volts:
28.0 dc at sea level second voltage
Pressure Connector Type:
Inverted flare, threaded external single connection
Media For Which Designed:

Cylindrical

Gas or liquid

Style Designator:

## NSN 5930-00-374-9927

Pressure Switch - Page 2 of 2



T	'nr	ead	<b>Series</b>	Design	ator:

Npt single pressure connection

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A048b0