NSN 5930-00-378-0522

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-378-0522

View Online at https://aerobasegroup.com/nsn/5930-00-378-0522
Thread Class:
2b single mounting facility
Overall Length:
2.541 inches
Overall Height:
1.235 inches
Overall Width:
0.750 inches
Shaft Diameter:
0.125 inches single actuator
Shaft Length:
0.438 inches single actuator
Individual Section Quantity:
4
Operating Tempurature Range:
-65.0/+250.0 degrees fahrenheit
Switch Contact Basic Design:
Nonpile-up nonsymmetrical
Mounting Facility Circle Radius:
0.348 inches single mounting facility
Mounting Method:
Threaded hole single mounting facility
Features Provided:
Cam actuated
Thready Qty Per Inch (tpi):
24 single mounting facility
Thread Size:
0.190 inches single mounting facility
Contact Voltage Rating In Volts:
28.0 dc at sea level
Mounting Facility Pattern:
Three position circular single mounting facility
Cam Actuated Switch Contact Arrangement:
1 pole, double throw, both positions maintained each switch each section in-line
Switch Actuator Indexing Position Quantity:
4 single actuator
Shaft Type:
Round single actuator
Terminal Type:
Turret
Contact Switching Action:

Breaks before makes each section in-line

NSN 5930-00-378-0522

Rotary Switch - Page 2 of 2



Switch Ac	tuator	Stop	Device	Type:
-----------	--------	------	--------	-------

Adjustable stop single actuator

Contact Load Current Rating:

7.0 amperes resistive load dc at sea level and 4.0 amperes inductive load dc at sea level

Style Designator:

In-line, cam actuated

Thread Series Designator:

Unc single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0