NSN 5930-00-387-3254

Lever Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-387-3254

Body Style:
Hole mounted
Hazardous Locations/environmental Protection:
Dustproof
Overall Length:
2.438 inches
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.625 inches
Overall Height:
1.750 inches
Overall Width:
1.312 inches
Body Length:
3.875 inches
Body Width:
1.250 inches
Body Height:
1.750 inches
Center To Center Distance Between Mounting Facilities Parallel To Height:
1.250 inches
Actuator Style:
Round
Actuator Diameter:
0.438 inches
Actuator Height:
1.563 inches
Actuator Position-action Relationship:
Up position maintained and down position maintained
Maximum Voltage Rating In Volts:
110.0 ac and 110.0 dc
Inclosure Type:
Uninclosed
Mounting Method:
Threaded hole
Thready Qty Per Inch (tpi):
40
Pile-up Contact Form Arrangement:
3b1d single position
Thread Size:
0.112 inches
Contact Load Current Rating At Maximum Rated Voltage:

2.000 amperes resistive dc and 10.000 amperes resistive ac

NSN 5930-00-387-3254

Lever Switch - Page 2 of 2



Thread Series Designator:
Unc
Terminal Type And Quantity:
17 bus bar
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

Fiig: A053a0