## NSN 5930-00-391-2099

**Hazardous Locations/environmental Protection:** 

Rotary Switch - Page 1 of 2

Explosion proof

Overall Length:

2.656 inches

2

**Individual Section Quantity:** 



View Online at https://aerobasegroup.com/nsn/5930-00-391-2099

Knob Manufacturer Code:
82121
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
1 each section front
Throw Quantity:
2 each section front
Mounting Facility Circle Radius:
1.156 inches single mounting facility
Mounting Method:
Bracket single mounting facility
Features Provided:
Actuator knob
Thready Qty Per Inch (tpi):
24 single mounting facility
Thread Size:
0.190 inches single mounting facility
Contact Voltage Rating In Volts:
125.0 ac at sea level
Mounting Facility Pattern:
Four position circular single mounting facility
Switch Actuator Indexing Position Quantity:
2 single actuator
Terminal Type:
Tab w/screw
Contact Switching Action:
Makes before breaks each section front
Switch Actuator Positioning Increment:
90.0 degrees single actuator
Switch Actuator Stop Device Type:
Fixed stop single actuator
Contact Load Current Rating:
10.0 amperes resistive load ac at sea level

**Style Designator:**Tap, circuit selector

## NSN 5930-00-391-2099

Rotary Switch - Page 2 of 2



Thread Series Designator	T	hread	Series	Design	ator
--------------------------	---	-------	--------	--------	------

Unc single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0