NSN 5930-00-408-8760

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-408-8760

Overall Length: 5.188 inches **Overall Height:** 5.531 inches **Overall Width:** 2.812 inches **Body Height:** 2.750 inches **Unthreaded Mounting Hole Diameter:** 0.281 inches **Capillary Tube Length:** 120.0 inches **Bulb Length:** 14.500 inches **Bulb Diameter:** 1.125 inches **Longest Horizontal Distance Between Mounting Centers:** 2.406 inches **Shortest Horizontal Distance Between Mounting Centers:** 0.656 inches **Longest Vertical Distance Between Mounting Centers:** 3.094 inches **Tempurature Sensing Element Type:** Capillary tube-bulb **Operating Tempurature Rating:** 120.0 degrees fahrenheit **Mounting Method:** Bracket and unthreaded hole **Features Provided:** Electrical access port **Contact Action Stimulus: Mounting Facility Pattern:**

Isosceles triangle

Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

Terminal Type:

Screw

Contact Load Current Rating:

9.6 amperes inductive load fifth voltage

Contact Adjustability:

Actuation point adjustable

NSN 5930-00-408-8760

Thermostatic Switch - Page 2 of 2



Contact Adjustment Range:
+25.00/+90.00 actuation point degrees fahrenheit
Contact Adjustment Type:
External actuation point screw
Contact Voltage Rating In Volts:
550.0 dc at sea level eighth voltage
Frequency In Hertz:
60.0 third voltage
Media For Which Designed:
Gas
Precious Material And Location:
Contacts silver
Precious Material:
Silver
Style Designator:
Rectangular
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No Fiig: A048b0