## NSN 5930-00-410-7757

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-410-7757

## **Thread Length:**

0.380 inches single mounting facility

## Shaft Length:

0.735 inches single actuator and 0.765 inches single actuator

## Individual Section Quantity:

2

## Nonturn Device Type:

Tab at 3: 00 o'clock

**Operating Tempurature Range:** 

-65.0/+85.0 degrees celsius

Switch Contact Basic Design:

Nonpile-up symmetrical

### **Pole Quantity:**

1 each section rear

**Throw Quantity:** 

10 each section rear

### **Mounting Method:**

Threaded bushing single mounting facility

### Thread Size:

0.375 inches single mounting facility

## Switch Actuator Indexing Position Quantity:

10 single actuator

Shaft Type:

Round single actuator

#### **Terminal Type:**

Tab, solder lug

**Contact Switching Action:** 

Makes before breaks each section rear

## Switch Actuator Positioning Increment:

30.0 degrees single actuator

Switch Actuator Stop Device Type:

Fixed stop single actuator

## Style Designator:

Circular wafer, bushing mount

## Test Data Document:

81349-mil-s-3786 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Thread Series Designator:**

Unef single mounting facility

#### Shelf Life:

N/a

Unit Of Measure:

# NSN 5930-00-410-7757

Rotary Switch - Page 2 of 2

Demilitarization:

No

Fiig:

A052b0

