## NSN 5930-00-412-1454

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-412-1454 **Thread Class:** 2a all threaded stud **Thread Length:** 0.375 inches all threaded stud **Hazardous Locations/environmental Protection:** Driptight **Overall Height:** 0.750 inches **Body Height:** 0.375 inches **Overall Diameter:** 0.625 inches **Tempurature Sensing Element Type:** Internal sensor **Mounting Method:** Threaded stud Thready Qty Per Inch (tpi): 32 all threaded stud **Contact Action Stimulus:** Increase **Thread Size:** 0.138 inches all threaded stud **Nonpile-up Contact Arrangement:** 1 pole, single throw, normally open, momentary action **Terminal Type:** Tab, solder lug **Contact Load Current Rating:** 15.0 amperes resistive load single voltage **Contact Adjustability:** Deactuation point not adjustable and actuation point not adjustable **Contact Stimulus Rating:** 130.00 actuation point degrees celsius and 120.00 deactuation point degrees celsius and 10.00 differential point degrees celsius **Contact Voltage Rating In Volts:** 125.0 ac at sea level single voltage Frequency In Hertz: 60.0 single voltage

## Style Designator:

Gas or liquid

Disc

Thread Series Designator:

Media For Which Designed:

Unc all threaded stud

## NSN 5930-00-412-1454

Thermostatic Switch - Page 2 of 2



		ife:	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A048b0