NSN 5930-00-422-0130 Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-422-0130
Thread Class:
2a single threaded stud
Hazardous Locations/environmental Protection:
Corrosion resistant and fungus resistant and vibration resistant
Overall Height:
0.515 inches
Body Height:
0.246 inches
Overall Diameter:
0.765 inches
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
Between -80.0 degrees fahrenheit and 300.0 degrees fahrenheit
Mounting Method:
Threaded stud
Thready Qty Per Inch (tpi):
40 single threaded stud
Contact Action Stimulus:
Decrease
Thread Size:
0.112 inches single threaded stud
Nonpile-up Contact Arrangement:
1 pole, single throw, normally open, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
1.0 amperes resistive load second voltage
Contact Adjustability:
Actuation point not adjustable and deactuation point not adjustable
Contact Stimulus Rating:
203.00 actuation point degrees fahrenheit and 205.00 deactuation point degrees fahrenheit and 209.00 deactuation point degrees
fahrenheit
Contact Voltage Rating In Volts:
30.0 dc at sea level second voltage
Media For Which Designed:
Gas or liquid
Style Designator:
Disc
Thread Series Designator:

N/a

Shelf Life:

Unc single threaded stud

NSN 5930-00-422-0130

Thermostatic Switch - Page 2 of 2



			ure:	

--

Demilitarization:

No

Fiig:

A048b0