# NSN 5930-00-442-5151

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-442-5151

#### **Thread Class:**

2b single mounting facility

#### **Overall Length:**

2.282 inches

# **Overall Height:**

1.750 inches

#### **Overall Width:**

1.750 inches

#### Shaft Diameter:

0.249 inches single actuator and 0.251 inches single actuator

#### Shaft Length:

0.906 inches single actuator and 0.969 inches single actuator

#### Distance Between Mounting Facility Centers:

1.375 inches single mounting facility

#### Individual Section Quantity:

1

# Switch Contact Basic Design:

Nonpile-up symmetrical

## Pole Quantity:

4 single section rear

#### Throw Quantity:

3 single section rear

#### Mounting Method:

Threaded hole single mounting facility

#### Thready Qty Per Inch (tpi):

32 single mounting facility

#### Thread Size:

0.138 inches single mounting facility

#### **Contact Voltage Rating In Volts:**

28.0 dc at sea level

#### **Mounting Facility Pattern:**

Two position in-line single mounting facility

#### Switch Actuator Indexing Position Quantity:

3 single actuator

### Shaft Type:

Round single actuator

#### **Terminal Type:**

Turret

#### **Contact Switching Action:**

Breaks before makes single section rear

## Switch Actuator Positioning Increment:

30.0 degrees single actuator

# NSN 5930-00-442-5151

Rotary Switch - Page 2 of 2



# Switch Actuator Stop Device Type:

Adjustable stop single actuator

#### **Contact Load Current Rating:**

1.0 amperes resistive load dc at sea level

#### Style Designator:

Tap, square frame

# Thread Series Designator:

Unc single mounting facility

### **Specification Data:**

12868-100-1037 manufacturers specification control

Shelf Life:

N/a

# Unit Of Measure:

---

#### Demilitarization:

No

#### Fiig:

A052b0