

View Online at <https://aerobasegroup.com/nsn/5930-00-448-6078>

Thread Class:

2b all threaded hole

Overall Length:

1.156 inches

Overall Height:

2.563 inches

Overall Width:

1.594 inches

Body Length:

1.875 inches

Distance Between Mounting Facility Centers:

Between 2.177 inches and 2.197 inches

Capillary Tube Length:

48.000 inches

Bulb Length:

0.312 inches

Bulb Diameter:

0.125 inches

Temperature Sensing Element Type:

Capillary tube-bulb

Mounting Method:

Bracket and threaded hole

Thready Qty Per Inch (tpi):

32 all threaded hole

Contact Action Stimulus:

Increase

Thread Size:

0.164 inches all threaded hole

Mounting Facility Pattern:

Two position in-line

Nonpile-up Contact Arrangement:

1 pole, single throw, normally open, momentary action

Terminal Type:

Tab w/screw

Contact Load Current Rating:

8.3 amperes resistive load first voltage

Contact Adjustability:

Deactuation point adjustable and actuation point adjustable

Contact Adjustment Range:

+21.00/+61.00 actuation point degrees fahrenheit and +21.00/+61.00 deactuation point degrees fahrenheit

Contact Adjustment Type:

External deactuation point shaft with scale and external actuation point shaft with scale

Contact Voltage Rating In Volts:

240.0 ac at sea level first voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Rectangular

Thread Series Designator:

Unc all threaded hole

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A048b0