

View Online at <https://aerobasegroup.com/nsn/5930-00-449-1450>

**Overall Length:**

4.954 inches

**Body Diameter:**

0.622 inches

**Body Length:**

3.594 inches

**Overall Diameter:**

1.750 inches

**Unthreaded Mounting Hole Diameter:**

0.164 inches

**Bulb Length:**

3.594 inches

**Bulb Diameter:**

0.622 inches

**Temperature Sensing Element Type:**

Bulb

**Mounting Facility Circle Radius:**

0.625 inches

**Mounting Method:**

Flange and unthreaded hole

**Features Provided:**

Tamper proof cap

**Contact Action Stimulus:**

Increase

**Mounting Facility Pattern:**

Three position circular

**Nonpile-up Contact Arrangement:**

1 pole, single throw, normally closed, momentary action

**Terminal Type:**

Wire lead

**Contact Load Current Rating:**

5.0 amperes resistive load first voltage

**Contact Adjustability:**

Deactuation point not adjustable and actuation point adjustable, preset

**Contact Adjustment Range:**

-100.00/+600.00 actuation point degrees fahrenheit

**Contact Adjustment Type:**

External actuation point screw

**Contact Stimulus Rating:**

335.00 actuation point degrees fahrenheit and 365.00 actuation point degrees fahrenheit and 334.00 deactuation point degrees fahrenheit and 364.00 deactuation point degrees fahrenheit and 1.00 differential point degrees fahrenheit

**Contact Voltage Rating In Volts:**

28.0 dc at sea level fourth voltage

**Media For Which Designed:**

Gas or liquid

**Style Designator:**

Cylindrical w/flange

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A048b0