## NSN 5930-00-449-1657



<b>NSN 5930-00-449-1657</b> Pressure Switch - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5930-00-449-1657
Overall Length:
1.739 inches
Overall Height:
2.370 inches
Overall Width:
1.020 inches
Body Height:
1.320 inches
Unthreaded Mounting Hole Diameter:
Between 0.150 inches and 0.155 inches
Longest Horizontal Distance Between Mounting Centers:
0.754 inches
Longest Vertical Distance Between Mounting Centers:
0.754 inches
Pressure Switch Type:
Differential
Operating Tempurature Rating:
Between -65.0 degrees fahrenheit and 200.0 degrees fahrenheit
Mounting Method:
Unthreaded hole
Contact Action Stimulus:
Increase
Proof Pressure:
4500.00 pounds per square inch gage
Mounting Facility Pattern:
Four position rectangular
Nonpile-up Contact Arrangement:
2 pole, double throw, both positions maintained Sensing Element Burst Pressure:
7500.00 pounds per square inch gage
Terminal Type:
Pin
Contact Load Current Rating:
2.5 amperes resistive load second voltage
Contact Adjustability:
Deactuation point not adjustable, manual reset and actuation point not adjustable
Contact Stimulus Rating:
37.40 deactuation point pounds per square inch gage
Contact Voltage Rating In Volts:
36.0 dc at sea level third voltage
Frequency In Hertz:
60.0 first voltage

# NSN 5930-00-449-1657

Pressure Switch - Page 2 of 2

Media For Which Designed:

Liquid

#### Style Designator:

Rectangular w/bracket

Shelf Life:

N/a

## Unit Of Measure:

---

### Demilitarization:

No

Fiig:

A048b0

