

View Online at <https://aerobasegroup.com/nsn/5930-00-459-0783>

Thread Class:

2a single mounting facility

Overall Length:

11.220 inches

Overall Height:

4.000 inches

Overall Width:

4.000 inches

Shaft Diameter:

0.250 inches single actuator

Shaft Length:

1.220 inches single actuator

Individual Section Quantity:

18

Operating Temperature Range:

-55.0/+85.0 degrees celsius

Switch Contact Basic Design:

Nonpile-up symmetrical

Pole Quantity:

1 each section front

Throw Quantity:

32 each section front

Mounting Facility Circle Radius:

1.470 inches single mounting facility

Mounting Method:

Threaded bushing single mounting facility

Features Provided:

Metallic inclosure

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.164 inches single mounting facility

Contact Voltage Rating In Volts:

115.0 ac at sea level

Mounting Facility Pattern:

Three position circular single mounting facility

Switch Actuator Indexing Position Quantity:

32 single actuator

Shaft Type:

Round single actuator

Terminal Type:

Printed circuit

Contact Switching Action:

Breaks before makes each section front

Contact Load Current Rating:

125.0 milliamperes resistive load ac at sea level

Style Designator:

Wafer, printed board, bushing mount

Test Data Document:

81349-mils22710 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unc single mounting facility

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A052b0