NSN 5930-00-468-2890

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-468-2890

Thread Class: 2b single mounting facility **Overall Length: 3.388** inches **Overall Height:** 2.382 inches **Overall Width:** 2.382 inches **Shaft Diameter:** 0.249 inches single actuator and 0.251 inches single actuator **Shaft Length:** 0.830 inches single actuator and 0.845 inches single actuator **Individual Section Quantity:** 3 **Longest Horizontal Distance Between Mounting Centers:** 1.370 inches single mounting facility and 1.380 inches single mounting facility **Operating Tempurature Range:** -65.0/+85.0 degrees celsius **Switch Contact Basic Design:** Nonpile-up symmetrical **Pole Quantity:** 2 each section rear **Throw Quantity:** 8 each section rear **Mounting Method:** Threaded hole single mounting facility Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 0.138 inches single mounting facility **Contact Voltage Rating In Volts:** 28.0 dc at sea level **Mounting Facility Pattern:** Two position in-line single mounting facility **Switch Actuator Indexing Position Quantity:** 8 single actuator **Shaft Type:** Round single actuator **Terminal Type:** Tab, solder lug

Contact Switching Action:

Breaks before makes each section rear

NSN 5930-00-468-2890

Rotary Switch - Page 2 of 2



Switch Actuator Positioning Increment:

22.5 degrees single actuator

Detent Rotational Torque Range:

+1.500/+8.000 inch-pounds single actuator

Switch Actuator Stop Device Type:

Fixed stop single actuator

Contact Load Current Rating:

1.0 amperes resistive load dc at sea level

Style Designator:

Square wafer, panel mount

Thread Series Designator:

Unc single mounting facility

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A052b0