## NSN 5930-00-477-0080

Rotary Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-477-0080

Thread Length:
0.275 inches single mounting facility
Hazardous Locations/environmental Protection:
Dustproof
Overall Length:
0.665 inches
Overall Diameter:
0.500 inches
Individual Section Quantity:
1
Operating Tempurature Range:
-55.0/+7.0 degrees celsius
Switch Contact Basic Design:
Nonpile-up symmetrical
Pole Quantity:
2 single section rear
Throw Quantity:
2 single section rear
Mounting Method:
Threaded bushing single mounting facility
Features Provided:
Metallic inclosure
Contact Voltage Rating In Volts:
00.0 1 1 1
28.0 dc at sea level
Switch Actuator Indexing Position Quantity:
Switch Actuator Indexing Position Quantity:
Switch Actuator Indexing Position Quantity: 2 single actuator
Switch Actuator Indexing Position Quantity: 2 single actuator Contact Switching Action:
Switch Actuator Indexing Position Quantity: 2 single actuator Contact Switching Action: Breaks before makes single section rear
Switch Actuator Indexing Position Quantity: 2 single actuator Contact Switching Action: Breaks before makes single section rear Switch Actuator Positioning Increment:
Switch Actuator Indexing Position Quantity: 2 single actuator Contact Switching Action: Breaks before makes single section rear Switch Actuator Positioning Increment: 36.0 degrees single actuator
Switch Actuator Indexing Position Quantity: 2 single actuator Contact Switching Action: Breaks before makes single section rear Switch Actuator Positioning Increment: 36.0 degrees single actuator Switch Actuator Stop Device Type:
Switch Actuator Indexing Position Quantity: 2 single actuator Contact Switching Action: Breaks before makes single section rear Switch Actuator Positioning Increment: 36.0 degrees single actuator Switch Actuator Stop Device Type: Fixed stop single actuator
Switch Actuator Indexing Position Quantity:  2 single actuator  Contact Switching Action:  Breaks before makes single section rear  Switch Actuator Positioning Increment:  36.0 degrees single actuator  Switch Actuator Stop Device Type:  Fixed stop single actuator  Contact Load Current Rating:
Switch Actuator Indexing Position Quantity:  2 single actuator  Contact Switching Action:  Breaks before makes single section rear  Switch Actuator Positioning Increment:  36.0 degrees single actuator  Switch Actuator Stop Device Type:  Fixed stop single actuator  Contact Load Current Rating:  250.0 milliamperes resistive load dc at sea level
Switch Actuator Indexing Position Quantity:  2 single actuator  Contact Switching Action:  Breaks before makes single section rear  Switch Actuator Positioning Increment:  36.0 degrees single actuator  Switch Actuator Stop Device Type:  Fixed stop single actuator  Contact Load Current Rating:  250.0 milliamperes resistive load dc at sea level  Style Designator:
Switch Actuator Indexing Position Quantity:  2 single actuator  Contact Switching Action:  Breaks before makes single section rear  Switch Actuator Positioning Increment:  36.0 degrees single actuator  Switch Actuator Stop Device Type:  Fixed stop single actuator  Contact Load Current Rating:  250.0 milliamperes resistive load dc at sea level  Style Designator:  Miniature, bushing mount
Switch Actuator Indexing Position Quantity:  2 single actuator  Contact Switching Action:  Breaks before makes single section rear  Switch Actuator Positioning Increment:  36.0 degrees single actuator  Switch Actuator Stop Device Type:  Fixed stop single actuator  Contact Load Current Rating:  250.0 milliamperes resistive load dc at sea level  Style Designator:  Miniature, bushing mount  Shelf Life:
Switch Actuator Indexing Position Quantity:  2 single actuator  Contact Switching Action:  Breaks before makes single section rear  Switch Actuator Positioning Increment:  36.0 degrees single actuator  Switch Actuator Stop Device Type:  Fixed stop single actuator  Contact Load Current Rating:  250.0 milliamperes resistive load dc at sea level  Style Designator:  Miniature, bushing mount  Shelf Life:  N/a

No

## **NSN 5930-00-477-0080**Rotary Switch - Page 2 of 2



Fiig:

A052b0