NSN 5930-00-478-7334

Rotary Switch Section - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-478-7334

Overall	Diameter:
---------	-----------

Between 1.833 inches and 1.853 inches

Body Thickness:

0.062 inches

Unthreaded Mounting Hole Diameter:

0.147 inches single mounting facility

Distance Between Mounting Facility Centers:

1.557 inches single mounting facility and 1.567 inches single mounting facility

Operating Tempurature Range:

-54.0/+95.0 degrees celsius

Switch Contact Basic Design:

Nonpile-up symmetrical

Pole Quantity:

1 single section rear

Throw Quantity:

20 single section front

Mounting Method:

Strut single mounting facility and unthreaded hole single mounting facility

Contact Voltage Rating In Volts:

28.0 dc at sea level

Rotor Through Connection Quantity:

1 single section

Mounting Facility Pattern:

Two position in-line single mounting facility

Terminal Type:

Tab, solder lug

Contact Switching Action:

Makes before breaks single section rear

Contact Load Current Rating:

1.0 amperes resistive load ac at sea level

Precious Material And Location:

Clips and rotor blades silver and clip surfaces and rotor blade surfaces gold

Precious Material:

Silver and gold

Style Designator:

Switch section, rotary

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 5930-00-478-7334

Rotary Switch Section - Page 2 of 2



Fiig:

A052b0