NSN 5930-00-480-9627

Thermostatic Switch - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5930-00-480-9627

Hannadava Lagatianatandavanantal Partestiana
Hazardous Locations/environmental Protection:
Gastight
Overall Length:
0.688 inches
Body Diameter:
0.250 inches
Body Length:
0.460 inches
Overall Diameter:
0.250 inches
End Application:
General purpose electronic test equipment (gpete).
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
150.0 degrees celsius and -20.0 degrees celsius
Mounting Method:
Clamp
Contact Action Stimulus:
Increase
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
750.0 milliamperes resistive load second voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point adjustable, preset
Contact Adjustment Range:
+20.00/+90.00 actuation point degrees celsius
Contact Adjustment Type:
External actuation point screw
Contact Stimulus Rating:
55.00 actuation point degrees celsius and 54.50 deactuation point degrees celsius
Contact Voltage Rating In Volts:
28.0 dc at sea level second voltage
Frequency In Hertz:
60.0 single voltage
Media For Which Designed:
Gas or liquid
Style Designator:

Cylindrical

NSN 5930-00-480-9627

Thermostatic Switch - Page 2 of 2



_					
•	n	0 1	•	12	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0