^



NSN 5930-00-480-9627
Thermostatic Switch - Page 1 of 2
View Online at https://aerobasegroup.com/nsn/5930-00-480-9627
Hazardous Locations/environmental Protection:
Gastight
Overall Length:
0.688 inches
Body Diameter:
0.250 inches
Body Length:
0.460 inches
Overall Diameter:
0.250 inches
End Application:
General purpose electronic test equipment (gpete).
Tempurature Sensing Element Type:
Internal sensor
Operating Tempurature Rating:
150.0 degrees celsius and -20.0 degrees celsius
Mounting Method:
Clamp
Contact Action Stimulus:
Increase
Nonpile-up Contact Arrangement:
1 pole, single throw, normally closed, momentary action
Terminal Type:
Tab, solder lug
Contact Load Current Rating:
750.0 milliamperes resistive load second voltage
Contact Adjustability:
Deactuation point not adjustable and actuation point adjustable, preset

Contact Adjustment Range:

+20.00/+90.00 actuation point degrees celsius

Contact Adjustment Type:

External actuation point screw

Contact Stimulus Rating:

55.00 actuation point degrees celsius and 54.50 deactuation point degrees celsius

Contact Voltage Rating In Volts:

28.0 dc at sea level second voltage

Frequency In Hertz:

60.0 single voltage

Media For Which Designed:

Gas or liquid

Style Designator:

Cylindrical

NSN 5930-00-480-9627

Thermostatic Switch - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A048b0

